

# Problem B - Forró Party

**Time Limit: 10 seconds**

**Memory Limit: 16 Mb**

Chico loves to drive, always in high speeds. Another Chico's love is Forró, a kind of music very popular in the Northeast Brazilian. But Chico's city doesn't have many Forró parties and he needs to travel to other cities if he wishes to go to a Forró party.

Chico, besides driving and Forró dancing, also likes computers and programming. As he is a very good programmer, he decides to make a program to calculate the best way to go from his city to a city where will have a Forró party. But, unfortunately, Chico needs to go out with his girlfriend and can not do the program, so he asked for your help.

But Chico's car has a problem with the brakes and he can not fix because if he does this he will not have money to buy the party's ticket and drink some beers. So you should find a route where Chico brakes only once, when he arrives in his destiny. Because he can not break, is dangerous pass by a city, so Chico should through the minimum number of cities in his travel.

## Input

The input file contains several input sets. The description of each set is given below:

Each set starts with one integer **R** ( $0 < R \leq 5000$ ), the number of roads. Next **R** lines describe the roads and consist of two cities name, where each city name has at most **30** characters, and **V** ( $0 < V \leq 1000$ ) the Chico's car velocity when Chico travels between the cities **A** and **B**. You can assume that **A** and **B** are not the same city and can exist more than one road between two cities. After this there is a line with two city names, the first is the city where Chico lives and the other is the city where the Forró party will happen.

There will be at most **500** different cities. Input is terminated by EOF and there is a blank line between two input sets.

## Output

For each input set you should print the route for Chico to go from his city to the Forró party city, with a blank space between two cities, so he brakes only once and through the minimum number of cities. If there is more than one route, print that where the cities appear first in the input (see the last input). If there is no possible route print "**No valid route.**", without the quotes. Print a blank line between the outputs. See the examples below for the exact input/output format.

## Sample Input

5  
Natal Assu 50  
Mossoro PaudosFeros 80  
Assu Mossoro 40  
Marcelino PaudosFeros 100  
Assu PaudosFeros 65  
Natal Mossoro

2  
Limoeiro MoradaNova 140  
Limoeiro Jaguaribe 130  
Jaguaribe MoradaNova

4  
Mossoro Paris 233  
Mossoro NewYork 412  
NewYork Tokio 501  
Tokio Paris 420  
Mossoro Tokio

## Sample Output

Natal Assu PaudosFeros Mossoro

Jaguaribe Limoeiro MoradaNova

Mossoro Paris Tokio

---

**Problem setter: Sérgio Queiroz de Medeiros**